

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
l29 and l30	12

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
 JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L41

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**
DATE: Wednesday, October 08, 2003
[Printable Copy](#)
[Create Case](#)
Set Name Query
 side by side
Hit Count
**Set
Name**
 result set
*DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=NO; OP=OR*L41 l29 and l3012 L41*DB=USPT; PLUR=NO; OP=OR*L40 6353383.pn.1 L40L39 6390529.pn.1 L39L38 5914660.pn.1 L38L37 5996421.pn.1 L37L36 6016103.pn.1 L36L35 6393348.pn.1 L35L34 6278358.pn.1 L34

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=NO; OP=OR

<u>L33</u>	6263272.uref.	2	<u>L33</u>
<u>L32</u>	l26 and L30	17	<u>L32</u>
<u>L31</u>	l25 and L30	8	<u>L31</u>
<u>L30</u>	vehicle adj climate adj control\$3	229	<u>L30</u>
<u>L29</u>	((701/\$)!.CCLS.)	25808	<u>L29</u>
<u>L28</u>	l26 and L27	8	<u>L28</u>
<u>L27</u>	vehicle adj interior adj temperature\$1	153	<u>L27</u>
<u>L26</u>	((340/\$)!.CCLS.)	112003	<u>L26</u>
<u>L25</u>	((307/\$)!.CCLS.)	37323	<u>L25</u>

DB=USPT; PLUR=NO; OP=OR

<u>L24</u>	l22 and L23	17	<u>L24</u>
<u>L23</u>	environment\$2 adj condition\$	37504	<u>L23</u>
<u>L22</u>	l20 and L21	78	<u>L22</u>
<u>L21</u>	(vehicle or car\$2 or automobile\$1 or limousine\$1 or limo\$1 or autobus\$1 or bus\$1 or taxi\$1 or truck\$1 or fleet\$1)	1236884	<u>L21</u>
<u>L20</u>	remote adj control\$2 and L19	97	<u>L20</u>
<u>L19</u>	l17 and L18	1665	<u>L19</u>
<u>L18</u>	receiv\$ adj feedback\$1	4994	<u>L18</u>
<u>L17</u>	vehicle adj interior temperature\$1	1196561	<u>L17</u>
<u>L16</u>	vehicleL15	0	<u>L16</u>
<u>L15</u>	6138068.pn.	1	<u>L15</u>
<u>L14</u>	remotely and L12	0	<u>L14</u>
<u>L13</u>	remote\$3 and L12	0	<u>L13</u>
<u>L12</u>	6263272.pn.	1	<u>L12</u>
<u>L11</u>	remotely and L9	1	<u>L11</u>
<u>L10</u>	remote\$1 and L9	0	<u>L10</u>
<u>L9</u>	4324286.uref.	11	<u>L9</u>

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=NO; OP=OR

<u>L8</u>	control\$ adj vehicle adj temperature\$1	14	<u>L8</u>
-----------	--	----	-----------

DB=USPT; PLUR=NO; OP=OR

<u>L7</u>	5303767.pn.	1	<u>L7</u>
<u>L6</u>	5318104.pn.	1	<u>L6</u>
<u>L5</u>	5839654.pn.	1	<u>L5</u>
<u>L4</u>	5860473.pn.	1	<u>L4</u>
<u>L3</u>	6058247.pn.	1	<u>L3</u>
<u>L2</u>	6508407.pn.	1	<u>L2</u>

DB=USPT,PGPB,JPAB,EPAB,DWPI,TDBD; PLUR=NO; OP=OR

L1 start\$ adj (vehicle or car\$2 or automobile\$1 or limousine\$1 or
limo\$1 or autobus\$1 or bus\$1 or taxi\$1 or truck\$1 or fleet\$1)adj 1 L1
(air adj conditioning or heating) adj system\$2

END OF SEARCH HISTORY